

PRINTER RUSH
(PTO ASSISTANCE)

Application : <u>09164577</u>	Examiner : <u>Wu</u>	GAU : <u>2123</u>
From: <u>ewc</u>	Location: <u>IDC</u> FMF FDC	Date: <u>8-23-05</u>
Tracking #: <u>CPM 09164577</u>		Week Date: <u>5/16/05</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input checked="" type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: _____
Provisignal application No. on bib does not
match docket No / filing date in spec.
Please state provisiogal application
No (s) to be printed in Spec and on bib
Thank you

[XRUSH] RESPONSE: _____
Corrected filz date & add serial number

INITIALS:

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
REV 10/04